File   View   Edit   Tools   Window   Help

Drafts
- ⊃ BRS: (
- ⊖ Pending
- ⊕ Active
  - L1: (1) ("20030050927").PN.
  - L2: (10186) (fingerprint or (dig
  - L3: (4651) 2 and version
  - L4: (1479) 3 and ((file or docur
  - L5: (1020) 4 and (table)
  - L6: (784) 5 and (search$4 or n─
  - L7: (2305) (707/5).CCLS.
  - L8: (59) 6 and (descriptor neai
  - L9: (55) 2 and 7
  - L10: (55) 9 not 8
  - L11: (3) (((fingerprint or (digita
- Failed
- ⊕ Saved
  - S1: (1183104) (MD or (messag

Search   Lis'   Browse   Querin   Clear

DBs   US-PGPUB; USPAT

Default operator. OP.

☑ Burah
☑ Highlight all hit terms initially

(((fingerprint or (digital near signature) or md$1 or (message near digest) or (hash near (value or function))) with (document or file)) and receiv$4 and ((first and second) near2 (file or document)) and ((map$4 or link$4 or associat$4) near2 table) and ((creat$4 or form$4) near3 file)).clm.

BRS form   IS&R form   Image   Text   HTML

	U	Document I	Issue Dat	Page	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P	2	3	6	I
1		US 2004026783 2 A1	20041230	15	Extended storage capacity for a network file server	707/200			Wong, Thomas K. et al.	☑						U 2 2
2		US 2004017705 8 A1	20040909	37	Navigation of the content space of a document set	707/1			Carpentier, Paul R.M. et al.	☑						U 2 8
3		US 2003019563 9 A1	20031016	13	Custom function blocks for use with process control systems	700/19			Nixon, Mark J. et al.	☑						U 2 9

Hits   Details   HTML

Ready

NUM

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20030050927").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/16 06:29
L2	10186	(fingerprint or (digital near signature) or md$1 or (message near digest) or (hash near (value or function))) with (document or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:40
L3	4651	2 and version	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:31
L4	1479	3 and ((file or document) near3 version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:31
L5	1020	4 and (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:32
L6	784	5 and (search$4 or navigat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:32
L7	2305	(707/5).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/16 06:33
L8	59	6 and (descriptor near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:39
L9	55	2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:39

L10	55	9 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:40
L11	3	(((fingerprint or (digital near signature) or md$1 or (message near digest) or (hash near (value or function))) with (document or file)) and receiv$4 and ((first and second) near2 (file or document)) and ((map$4 or link$4 or associat$4) near2 table) and ((creat$4 or form$4) near3 file)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/16 06:42
S1	1183104	(MD or (message near digest) or (hash near (function or value)) or "md5" or "md2" or "sha" or ("sha-1") or ("sha-256") or ("ripemd-160"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 06:14
S2	57116	S1 and version	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:00
S3	49334	S2 and (describ$4 or identif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:01
S4	27817	S3 and map$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:01
S5	18192	S4 and (search$4 or navigat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:02

EAST Search History

S6	1063	S5 and (map$4 near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:03
S7	9	S6 and (navigat$4 near2 forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:04
S8	30	S6 and (document with (first and second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:17
S9	1	("5193171").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 18:17